ELSEVIER

Brain Research 659 (1994) 298–300

BRAIN RESEARCH

Author Index

Agid, Y., see Lehéricy, S. (659) 1
Aizawa, H., see Dure IV, L.S. (659) 33
Albahadily, F.N., see Hu, Y. (659) 117
Amara, A., Coussemacq, M. and Geffard, M.
Antibodies to reduced glutathione (659) 237
Ambrose, C.M., see Dure IV, L.S. (659) 33
Andrus, P.K., Taylor, B.M., Sun, F.F. and Hall, E.D.
Effects of the lipid peroxidation inhibitor tirilazad mesylate (U-74006F) on gerbil brain eicosanoid levels following ischemia and reperfusion (659) 126
Anglade, P., see Lehéricy, S. (659) 1
Asai, K., see Nakanishi, K. (659) 169
Asakura, S., see Umezawa, K. (659) 23

Baldridge, W.H., see Mangel, S.C. (659) 55
Bergeron, C., Muntasser, S., Somerville, M.J., Weyer, L. and Percy, M.E.
Copper/zinc superoxide dismutase mRNA levels are increased in sporadic amyotrophic lateral sclerosis motorneurons (659) 272
Bevan, M.D., Crossman, A.R. and Bolam, J.P.
Neurons projecting from the entopeduncular nucleus to the thalamus receive convergent synaptic inputs from the subthalamic nucleus and the neostriatum in the rat (659) 99
Bird, E.D., see Dure IV, L.S. (659) 33
Black, K.L., see Nomura, T. (659) 62
Bolam, J.P., see Bevan, M.D. (659) 99
Brandel, J.-P., see Lehéricy, S. (659) 1
Brittebo, E.B.
Metabolism-dependent binding of the heterocyclic amine Trp-P-1 in endothelial cells of choroid plexus and in large cerebral veins of cytochrome P450-induced mice (659) 91

Cartmell, S.M. and Mitchell, D.
Diazepam attenuates hyperexcitability and mechanical hypersensitivity of dorsal horn convergent neurones during reperfusion of the rat's tail following ischaemia (659) 82
Casabona, G., see Genazzani, A.A. (659) 10
Cherry, N.J., see McCall, A.L. (659) 292
Coussemacq, M., see Amara, A. (659) 237
Crossman, A.R., see Bevan, M.D. (659) 99

DiFiglia, M., see Dure IV, L.S. (659) 33
Ding, Y.-Q., Qin, B.-Z., Li, J.-S. and Mizuno, N.
Induction of c-*fos*-like protein in the spinoparabrachial tract-neurons locating within the sacral parasympathetic nucleus in the rat (659) 283
Dowling, J.E., see Mangel, S.C. (659) 55
Dowling, J.E., see McMahon, D.G. (659) 110
Dure IV, L.S., Landwehrmeyer, G.B., Golden, J., McNeil, S.M., Ge, P., Aizawa, H., Huang, Q., Ambrose, C.M., Duyao, M.P., Bird, E.D., DiFiglia, M., Gusella, J.F., MacDonald, M.E., Penney, J.B., Young, A.B. and Vonsattel, J.-P.
IT15 gene expression in fetal human brain (659) 33
Duyao, M.P., see Dure IV, L.S. (659) 33
Duyckaerts, C., see Lehéricy, S. (659) 1

Eaton, M.J., Wagner, C.K., Moore, K.E. and Lookingland, K.J.
Neurochemical identification of A_{13} dopaminergic neuronal projections from the medial zona incerta to the horizontal limb of the diagonal band of Broca and the central nucleus of the amygdala (659) 201
Eksioglu, Y.Z., see Nakanishi, K. (659) 169
Elder, J.H., see Prospéro-García, O. (659) 254
Eusebi, F., see Grassi, F. (659) 226

Feinberg, I., see Uchida, S. (659) 243
Foster, E., Robertson, B. and Fried, K.
trkB-like immunoreactivity in rat dorsal root ganglia following sciatic nerve injury (659) 267
Freund, R.K., see Trok, K. (659) 138
Fried, K., see Foster, E. (659) 267
Fujii, N., see Tsuzuki, K. (659) 213
Fujiwara, T., see Kinomura, S. (659) 263
Fukatsu, R., see Tsuzuki, K. (659) 213
Fukuda, H., see Kinomura, S. (659) 263

Ge, P., see Dure IV, L.S. (659) 33
Geffard, M., see Amara, A. (659) 237
Genazzani, A.A., L'Episcopo, M.R., Casabona, G., Shinozaki, H. and Nicoletti, F.
$(2_S,1'_R,2'_R,3'_R)$-2-(2,3-Dicarboxycyclopropyl)glycine positively modulates metabotropic glutamate receptors coupled to polyphosphoinositide hydrolysis in rat hippocampal slices (659) 10
Golden, J., see Dure IV, L.S. (659) 33
Goto, R., see Kinomura, S. (659) 263
Gotoh, M., Hirooka, Y., Tajima, T., Iguchi, A. and Smythe, G.A.
Adrenocorticotropin and growth hormone secretions after intracerebroventricular administration of neostigmine in rats: their relationships to hypothalamic monoaminergic neuronal activities (659) 259
Goudreau, J.L., see Wagner, E.J. (659) 194
Grassi, F., Mileo, A.M., Monaco, L., Punturieri, A., Santoni, A. and Eusebi, F.
TNF-α increases the frequency of spontaneous miniature synaptic currents in cultured rat hippocampal neurons (659) 226
Gusella, J.F., see Dure IV, L.S. (659) 33

Hall, E.D., see Andrus, P.K. (659) 126
Hasegawa, Y., see Nakanishi, K. (659) 169
Hasselmo, M.E., see Tang, A.C. (659) 75
Henriksen, S.J., see Prospéro-García, O. (659) 254
Herbert, J., see Xu, Z. (659) 157
Herold, N., see Prospéro-García, O. (659) 254
Heurteaux, C., Lauritzen, I., Widmann, C. and Lazdunski, M.
Glutamate-induced overexpression of NMDA receptor messenger RNAs and protein triggered by activation of AMPA/kainate receptors in rat hippocampus following forebrain ischemia (659) 67
Hirooka, Y., see Gotoh, M. (659) 259
Hirsch, E.C., see Lehéricy, S. (659) 1
Hosseinzadeh, H. and Stone, T.W.
Mechanism of the hippocampal loss of adenosine sensitivity in calcium-free media (659) 221
Hu, Y., Mitchell, K.M., Albahadily, F.N., Michaelis, E.K. and Wilson, G.S.

Direct measurement of glutamate release in the brain using a dual enzyme-based electrochemical sensor (659) 117
Huang, Q., see Dure IV, L.S. (659) 33

Iguchi, A., see Gotoh, M. (659) 259
Inamura, T., see Nomura, T. (659) 62
Isobe, I., see Nakanishi, K. (659) 169
Itoh, H., see Kinomura, S. (659) 263
Itoh, M., see Kinomura, S. (659) 263

Javoy-Agid, F., see Lehéricy, S. (659) 1
Jin, Y.-m., see Umezawa, K. (659) 23

Kato, T., see Nakanishi, K. (659) 169
Kawashima, R., see Kinomura, S. (659) 263
Kinomura, S., Kawashima, R., Yamada, K., Ono, S., Itoh, M., Yoshioka, S., Yamaguchi, T., Matsui, H., Miyazawa, H., Itoh, H., Goto, R., Fujiwara, T., Satoh, K. and Fukuda, H.
Functional anatomy of taste perception in the human brain studied with positron emission tomography (659) 263
Krum, J.M., see Rosenstein, J.M. (659) 277
Kubo, T., see Takahashi, Y. (659) 287
Kuroda, Y., see Nakanishi, K. (659) 169

Lacey, M.G., see Rick, C.E. (659) 133
Landwehrmeyer, G.B., see Dure IV, L.S. (659) 33
Lauritzen, I., see Heurteaux, C. (659) 67
Lazdunski, M., see Heurteaux, C. (659) 67
Lehéricy, S., Brandel, J.-P., Hirsch, E.C., Anglade, P., Villares, J., Scherman, D., Duyckaerts, C., Javoy-Agid, F. and Agid, Y.
Monoamine vesicular uptake sites in patients with Parkinson's disease and Alzheimer's disease, as measured by tritiated dihydrotetrabenazine autoradiography (659) 1
L'Episcopo, M.R., see Genazzani, A.A. (659) 10
Li, J.-S., see Ding, Y.-Q. (659) 283
Lookingland, K.J., see Eaton, M.J. (659) 201
Lookingland, K.J., see Wagner, E.J. (659) 194

MacDonald, M.E., see Dure IV, L.S. (659) 33
Maloney, T., see Uchida, S. (659) 243
Mangel, S.C., Baldridge, W.H., Weiler, R. and Dowling, J.E.
Threshold and chromatic sensitivity changes in fish cone horizontal cells following prolonged darkness (659) 55
Matsuda, M., see Umezawa, K. (659) 23
Matsui, H., see Kinomura, S. (659) 263
Mayhan, W.G.
Effect of diabetes mellitus on responses of the rat basilar artery to activation of beta-adrenergic receptors (659) 208
McCall, A.L., Van Bueren, A.M., Moholt-Siebert, M., Cherry, N.J. and Woodward, W.R.
Immunohistochemical localization of the neuron-specific glucose transporter (GLUT3) to neuropil in adult rat brain (659) 292
McMahon, D.G., Rischert, J.C. and Dowling, J.E.
Protein content and cAMP-dependent phosphorylation of fractionated white perch retina (659) 110
McNeil, S.M., see Dure IV, L.S. (659) 33
Michaelis, E.K., see Hu, Y. (659) 117
Mileo, A.M., see Grassi, F. (659) 226
Mitchell, D., see Cartmell, S.M. (659) 82
Mitchell, K.M., see Hu, Y. (659) 117
Miyazawa, H., see Kinomura, S. (659) 263
Mizuno, N., see Ding, Y.-Q. (659) 283
Moholt-Siebert, M., see McCall, A.L. (659) 292
Monaco, L., see Grassi, F. (659) 226
Moore, K.E., see Eaton, M.J. (659) 201
Moore, K.E., see Wagner, E.J. (659) 194
Moore, R.Y. and Speh, J.C.
A putative retinohypothalamic projection containing substance P in the human (659) 249
More, N.S., see Rosenstein, J.M. (659) 277
Muntasser, S., see Bergeron, C. (659) 272

Nakanishi, K., Okouchi, Y., Ueki, T., Asai, K., Isobe, I., Eksioglu, Y.Z., Kato, T., Hasegawa, Y. and Kuroda, Y.
Astrocytic contribution to functioning synapse formation estimated by spontaneous neuronal intracellular Ca^{2+} oscillations (659) 169
Nicoletti, F., see Genazzani, A.A. (659) 10
Nomura, T., Inamura, T. and Black, K.L.
Intracarotid infusion of bradykinin selectively increases blood-tumor permeability in 9L and C6 brain tumors (659) 62

Ochiishi, T., Terashima, T. and Yamauchi, T.
Specific distribution of Ca^{2+}/calmodulin-dependent protein kinase II α and β isoforms in some structures of the rat forebrain (659) 179
Okouchi, Y., see Nakanishi, K. (659) 169
Olson, L., see Trok, K. (659) 138
Ono, S., see Kinomura, S. (659) 263

Palmer, M.R., see Trok, K. (659) 138
Penney, J.B., see Dure IV, L.S. (659) 33
Percy, M.E., see Bergeron, C. (659) 272
Phillips, T.R., see Prospéro-García, O. (659) 254
Prospéro-García, O., Herold, N., Waters, A.K., Phillips, T.R., Elder, J.H. and Henriksen, S.J.
Intraventricular administration of a FIV-envelope protein induces sleep architecture changes in rats (659) 254
Punturieri, A., see Grassi, F. (659) 226

Qin, B.-Z., see Ding, Y.-Q. (659) 283

Rick, C.E. and Lacey, M.G.
Rat substantia nigra pars reticulata neurones are tonically inhibited via $GABA_A$, but not $GABA_B$, receptors in vitro (659) 133
Rischert, J.C., see McMahon, D.G. (659) 110
Robertson, B., see Foster, E. (659) 267
Rosenstein, J.M., More, N.S. and Krum, J.M.
Immunocytochemical distribution of the brain glucose transporter (GLUT 1) in experimental gliosis (659) 277
Rosewell, K.L., Siwicki, K.K. and Wise, P.M.
A *period* (*per*)-like protein exhibits daily rhythmicity in the suprachiasmatic nuclei of the rat (659) 231

Santoni, A., see Grassi, F. (659) 226
Satoh, K., see Kinomura, S. (659) 263
Schenk, S. and Snow, S.
Sensitization to cocaine's motor activating properties produced by electrical kindling of the medial prefrontal cortex but not of the hippocampus (659) 17
Scherman, D., see Lehéricy, S. (659) 1
Shinozaki, H., see Genazzani, A.A. (659) 10
Siwicki, K.K., see Rosewell, K.L. (659) 231
Smythe, G.A., see Gotoh, M. (659) 259
Snead III, O.C.
The ontogeny of [^{3}H]γ-hydroxybutyrate and [^{3}H]$GABA_B$ binding sites: relation to the development of experimental absence seizures (659) 147
Snow, S., see Schenk, S. (659) 17
Somerville, M.J., see Bergeron, C. (659) 272
Speh, J.C., see Moore, R.Y. (659) 249
Stone, T.W., see Hosseinzadeh, H. (659) 221
Sugiura, H. and Yamauchi, T.
Developmental changes of protein substrates of Ca^{2+}/calmodulin-dependent protein kinase II in the rat forebrain (659) 42
Sun, F.F., see Andrus, P.K. (659) 126

Tajima, T., see Gotoh, M. (659) 259
Takahashi, Y., Tsumoto, T. and Kubo, T.
N-Methyl-D-aspartate receptors contribute to afferent synaptic transmission in the medial vestibular nucleus of young rats (659) 287
Takahata, N., see Tsuzuki, K. (659) 213
Takamaru, Y., see Tsuzuki, K. (659) 213
Tang, A.C. and Hasselmo, M.E.
Selective suppression of intrinsic but not afferent fiber synaptic transmission by baclofen in the piriform (olfactory) cortex (659) 75
Taylor, B.M., see Andrus, P.K. (659) 126
Terashima, T., see Ochiishi, T. (659) 179
Trok, K., Freund, R.K., Palmer, M.R. and Olson, L.
Spinal cord-skeletal muscle cografts: trophic and functional interactions (659) 138
Tsumoto, T., see Takahashi, Y. (659) 287
Tsuzuki, K., Fukatsu, R., Takamaru, Y., Fujii, N. and Takahata, N.
Potentially amyloidogenic fragment of 50 kDa and intracellular processing of amy-

loid precursor protein in cells cultured under leupeptin (659) 213

Uchida, S., Maloney, T. and Feinberg, I. Sigma (12–16 Hz) and beta (20–28 Hz) EEG discriminate NREM and REM sleep (659) 243
Ueki, T., see Nakanishi, K. (659) 169
Umezawa, K., Asakura, S., Jin, Y.-m. and Matsuda, M. Localization of vitronectin- and fibronectin-receptors on cultured human glioma cells (659) 23

Van Bueren, A.M., see McCall, A.L. (659) 292
Villares, J., see Lehéricy, S. (659) 1
Vonsattel, J.-P., see Dure IV, L.S. (659) 33

Wagner, C.K., see Eaton, M.J. (659) 201
Wagner, E.J., Goudreau, J.L., Moore, K.E. and Lookingland, K.J. GABAergic regulation of tuberoinfundibular dopaminergic neurons in the male rat (659) 194
Waters, A.K., see Prospéro-García, O. (659) 254
Weiler, R., see Mangel, S.C. (659) 55
Weyer, L., see Bergeron, C. (659) 272
Widmann, C., see Heurteaux, C. (659) 67
Wilson, G.S., see Hu, Y. (659) 117
Wise, P.M., see Rosewell, K.L. (659) 231
Woodward, W.R., see McCall, A.L. (659) 292

Xu, Z. and Herbert, J. Regional suppression by water intake of *c-fos* expression induced by intraventricular infusions of angiotensin II (659) 157

Yamada, K., see Kinomura, S. (659) 263
Yamaguchi, T., see Kinomura, S. (659) 263
Yamauchi, T., see Ochiishi, T. (659) 179
Yamauchi, T., see Sugiura, H. (659) 42
Yoshioka, S., see Kinomura, S. (659) 263
Young, A.B., see Dure IV, L.S. (659) 33

(contents continued)

Astrocytic contribution to functioning synapse formation estimated by spontaneous neuronal intracellular Ca^{2+} oscillations
K. Nakanishi, Y. Okouchi, T. Ueki, K. Asai, I. Isobe, Y.Z. Eksioglu, T. Kato, Y. Hasegawa and Y. Kuroda (Japan) 169

Specific distribution of Ca^{2+}/calmodulin-dependent protein kinase II α and β isoforms in some structures of the rat forebrain
T. Ochiishi, T. Terashima and T. Yamauchi (Japan) 179

GABAergic regulation of tuberoinfundibular dopaminergic neurons in the male rat
E.J. Wagner, J.L. Goudreau, K.E. Moore and K.J. Lookingland (USA) 194

Neurochemical identification of A_{13} dopaminergic neuronal projections from the medial zona incerta to the horizontal limb of the diagonal band of Broca and the central nucleus of the amygdala
M.J. Eaton, C.K. Wagner, K.E. Moore and K.J. Lookingland (USA) 201

Effect of diabetes mellitus on responses of the rat basilar artery to activation of beta-adrenergic receptors
W.G. Mayhan (USA) 208

Potentially amyloidogenic fragment of 50 kDa and intracellular processing of amyloid precursor protein in cells cultured under leupeptin
K. Tsuzuki, R. Fukatsu, Y. Takamaru, N. Fujii and N. Takahata (Japan) 213

Mechanism of the hippocampal loss of adenosine sensitivity in calcium-free media
H. Hosseinzadeh and T.W. Stone (UK) 221

TNF-α increases the frequency of spontaneous miniature synaptic currents in cultured rat hippocampal neurons
F. Grassi, A.M. Mileo, L. Monaco, A. Punturieri, A. Santoni and F. Eusebi (Italy) 226

A *period* (*per*)-like protein exhibits daily rhythmicity in the suprachiasmatic nuclei of the rat
K.L. Rosewell, K.K. Siwicki and P.M. Wise (USA) 231

Short Communications

Antibodies to reduced glutathione
A. Amara, M. Coussemacq and M. Geffard (France) 237

Sigma (12–16 Hz) and beta (20–28 Hz) EEG discriminate NREM and REM sleep
S. Uchida, T. Maloney and I. Feinberg (Japan, USA) 243

A putative retinohypothalamic projection containing substance P in the human
R.Y. Moore and J.C. Speh (USA) 249

Intraventricular administration of a FIV-envelope protein induces sleep architecture changes in rats
O. Prospéro-García, N. Herold, A.K. Waters, T.R. Phillips, J.H. Elder and S.J. Henriksen (USA) 254

Adrenocorticotropin and growth hormone secretions after intracerebroventricular administration of neostigmine in rats: their relationships to hypothalamic monoaminergic neuronal activities
M. Gotoh, Y. Hirooka, T. Tajima, A. Iguchi and G.A. Smythe (Japan, Australia) 259

Functional anatomy of taste perception in the human brain studied with positron emission tomography
S. Kinomura, R. Kawashima, K. Yamada, S. Ono, M. Itoh, S. Yoshioka, T. Yamaguchi, H. Matsui, H. Miyazawa, H. Itoh, R. Goto, T. Fujiwara, K. Satoh and H. Fukuda (Japan) 263

trkB-like immunoreactivity in rat dorsal root ganglia following sciatic nerve injury
E. Foster, B. Robertson and K. Fried (Sweden) 267

Copper/zinc superoxide dismutase mRNA levels are increased in sporadic amyotrophic lateral sclerosis motorneurons
C. Bergeron, S. Muntasser, M.J. Somerville, L. Weyer and M.E. Percy (Canada) 272

Immunocytochemical distribution of the brain glucose transporter (GLUT 1) in experimental gliosis
J.M. Rosenstein, N.S. More and J.M. Krum (USA) 277

Induction of c-*fos*-like protein in the spinoparabrachial tract-neurons locating within the sacral parasympathetic nucleus in the rat
Y.-Q. Ding, B.-Z. Qin, J.-S. Li and N. Mizuno (People's Republic of China, Japan) 283

N-Methyl-D-aspartate receptors contribute to afferent synaptic transmission in the medial vestibular nucleus of young rats
Y. Takahashi, T. Tsumoto and T. Kubo (Japan) 287

Immunohistochemical localization of the neuron-specific glucose transporter (GLUT3) to neuropil in adult rat brain
A.L. McCall, A.M. Van Bueren, M. Moholt-Siebert, N.J. Cherry and W.R. Woodward (USA) 292

Author Index 298